


«PeakTech® P 1356» 60 MHz / 2 CH, 1 GS/s touchscreen oscilloscope



€819.90

Prices excl. VAT plus shipping costs and possibly lower value surcharge

Product number: P 1356

GTIN/EAN: 4250569404450

Description

The PeakTech 1356 is a 60 MHz 2-channel digital storage oscilloscope of the latest generation with a high-resolution TFT touchscreen and extensive additional functions. It has a sampling rate of up to 1 GS/s and convinces with its high quality and easy handling with the best price / performance ratio. Due to the 12-bit A / D converter used, this model has a 16 times higher resolution compared to an 8-bit oscilloscope, which ensures a much finer waveform resolution and allows the user to find even the smallest deviations. The many functions can be controlled either with the function keys and rotary controls or via a comfortable touchscreen operation. For example, select the menus, time base, sensitivity, or active signal line displayed on the screen. The zoom function or file management with the keyboard field displayed can also be operated using the touchscreen.

Technical features

- 2-channel oscilloscope with 60 MHz analog bandwidth at max. 1 GS / s sampling rate
- 12 bit A/D converter with 4096 quantification levels
- 20 cm (8 ") TFT touchscreen for user-friendly operation
- Integrated 25 MHz / 1 CH arbitrary waveform generator
- Integrated digital multimeter with 4000 counts
- LAN, USB host & USB device
- Recording length of max. 40 million points

PeakTech Prüf- und Messtechnik GmbH

Gerstenstieg 4

DE-22926 Ahrensburg

www.peaktech.de

- Automatic measurement modes, XY mode and FFT function
- Optional battery: "Akku 6" model
- Safety: EN 61010-1; CAT II 400V
- Accessories: USB cable, software CD for Windows, power cord, 2 probes, BNC cable, carrying case and manual

Specifications

Sampling 1 CH: 1 GS/s

Sampling 2 CH: 500 MS/s

USB:

Bandwidth: 60 MHz

Battery: Li-Po 13200 mAh (optional)

Channels: 2 CH

Display Type: Touchscreen TFT

Hor. scale max.: 100 s/div

Hor. scale min.: 2 ns/div

LAN:

Mains voltage: 110/240 V AC; 50/60 Hz

Memory depth: 40.000.000 Points

Resolution: 800 x 600 Pixel

Rise Time: < 5.8 ns

Screen size (TFT): 20 cm (8")

VGA:

Vert. resolution: 12 Bit

Vert. scale max.: 10 V/div

Vert. scale min.: 1 mV/div

Integr. AWG:

Integr. DMM: